

**AMENDMENTS TO THE CLAIMS**

1. (previously presented) A golf club head comprising a hitting face for golf balls, said hitting face formed at least partially by a metallic material, and said metallic material satisfying the following relation:

$$y \geq 0.006x + 60$$

wherein

x is Young's modulus in units of kgf/mm<sup>2</sup>, and

y is tensile strength in units of kgf/mm<sup>2</sup>, and

wherein said metallic material has a young's modulus of 3,000 to

12,000 kgf/mm<sup>2</sup>, and a tensile strength of 105 to 175 kgf/mm<sup>2</sup> and

said hitting face has at least partially a hitting portion which consists of said metallic material with a thickness of 1 to 3 mm.

2. (currently amended) [[A]] The golf club head according to claim 1, wherein said metallic material is an amorphous metal.

3. (currently amended) [[A]] The golf club head according to claim 1, wherein said metallic material is an amorphous alloy of a zirconium base.

4. (currently amended) [[A]] The golf club head according to claim 1, wherein said metallic material is an amorphous alloy comprising the elements Zr, Al, Cu, Ni, and Hf or an ~~amorphous~~ amorphous alloy comprising the elements Zr, Al, Cu, and Ni.

5. (previously presented) A golf club head comprising a hitting face for golf balls, the surface of said hitting face being formed at least partially by a metallic material satisfying the following relationship:

$$z \geq (x/60) + 200$$

wherein x is Young's modulus in units of kgf/mm<sup>2</sup>, and z is Vickers hardness in units of HV, and

wherein said metallic material has a Young's modulus of 3,000 to 12,000 kgf/mm<sup>2</sup> and a Vickers hardness of 400 to 1,000 HV and said hitting face has at least partially a hitting portion which consists of said metallic material with a thickness of 1 to 3 mm.

6. (currently amended) [[A]] The golf club head according to claim 5, wherein said metallic material is an amorphous metal.

7. (currently amended) [[A]] The golf club head according to claim 5, wherein said metallic material is an amorphous alloy of a zirconium base.

8. (currently amended) [[A]] The golf club head according to claim 1, wherein said metallic material is an amorphous alloy comprising the elements Zr, Al, Cu, Ni, and Hf or an amorphous alloy comprising the elements Zr, Al, Cu, and Ni.

9. (currently amended) [[A]] The golf ~~ball~~ club head according to claim 1, wherein said metallic material has a Young's modulus of 5,000 to 12,000 kgf/mm<sup>2</sup> and a tensile strength of 105 to 400 kgf/mm<sup>2</sup>.

10. (currently amended) [[A]] The golf ~~ball~~ club head according to claim 1, wherein said metallic material has a Young's modulus of 5,000 to 12,000 kgf/mm<sup>2</sup> and a tensile strength of 130 to 400 kgf/mm<sup>2</sup>.

11. (currently amended) [[A]] The golf ~~ball~~ club head according to claim 5, wherein said metallic material has a Young's modulus of 5,000 to 12,000 kgf/mm<sup>2</sup> and a Vickers hardness of 400 to 1,000 HV.

12. (currently amended) [[A]] The golf ~~ball~~ club head according to claim 5, wherein said metallic material has a Young's modulus of 5,000 to 12,000 kgf/mm<sup>2</sup> and a Vickers hardness of 400 to 1,000 HV.

13. (currently amended) ~~[[A]]~~ The golf ~~ball~~ club head according to claim 5, wherein said metallic material has a tensile strength of 80 to 400 kgf/mm<sup>2</sup>.

14. (currently amended) ~~[[A]]~~ The golf ~~ball~~ club head according to claim 1, wherein the metallic metal is an amorphous metal expressed by the formula:

$M_aX_b$ , wherein M represents two or more elements selected from the group consisting of Zr, V, Cr, Mn, Fe, Co, Ni, Cu, Ti, Mo, W, Ca, Li, Mg, Si, Al, Pd and Be; X is an element selected from the group consisting of Y, La, Ce, Sm, Md, Hf, Nb and Ta; and a and b represent atomic percentages in the ranges of  $65 \leq a \leq 100$  and  $0 \leq b \leq 35$ , respectively.

15. (currently amended) ~~[[A]]~~ The golf ~~ball~~ club head according to claim 5, wherein the metallic metal is an amorphous metal expressed by the formula:

$M_aX_b$ , wherein M represents two or more elements selected from the group consisting of Zr, V, Cr, Mn, Fe, Co, Ni, Cu, Ti, Mo, W, Ca, Li, Mg, Si, Al, Pd and Be; X is an element selected from the group consisting of Y, La, Ce, Sm, Md, Hf, Nb and Ta; and a and b represent atomic percentages in the ranges of  $65 \leq a \leq 100$  and  $0 \leq b \leq 35$ , respectively.

16. (currently amended) [[A]] The golf ~~ball~~ club head according to claim 1 wherein the metallic material is an amorphous metal of the formula:  $Zr_cM_dX_e$ , wherein Zr is Zirconium; M is an element selected from the group consisting of V, Cr, Mn, Fe, Co, Ni, Cu, Ti, Mo, W, Ca, Li, Mg, Si, Al, Pd and Be; X is an element selected from the group consisting of Y, La, Ce, Sm, Md, Hf, Nb and Ta; and c, d and e represent atomic percentages within the ranges of  $20 \leq c \leq 80$ ,  $20 \leq d \leq 80$ , and  $0 \leq e \leq 35$ , respectively.

17. (currently amended) [[A]] The golf ~~ball~~ club head according to claim 5 wherein the metallic material is an amorphous metal of the formula:  $Zr_cM_dX_e$ , wherein Zr is Zirconium; M is an element selected from the group consisting of V, Cr, Mn, Fe, Co, Ni, Cu, Ti, Mo, W, Ca, Li, Mg, Si, Al, Pd and Be; X is an element selected from the group consisting of Y, La, Ce, Sm, Md, Hf, Nb and Ta; and c, d and e represent atomic percentages within the ranges of  $20 \leq c \leq 80$ ,  $20 \leq d \leq 80$ , and  $0 \leq e \leq 35$ , respectively.

18. (currently amended) [[A]] The golf ~~ball~~ club head according to claim 1 wherein the metallic material is an amorphous metal of the formula:  $Zr_cM_dX_e$ , wherein Zr is Zirconium; M is an element selected from the group consisting of V, Cr, Mn, Fe, Co, Ni, Cu, Ti, Mo, W, Ca, Li, Mg, Si, Al, Pd and Be; X is an element selected from the group consisting of Y, La, Ce, Sm, Md, Hf, Nb and Ta; and c, d and e represent atomic percentages within the ranges of  $50 \leq c \leq 75$ ,  $25 \leq d \leq 50$ , and  $0 \leq e \leq 1$ , respectively.

19. (currently amended) [[A]] The golf ~~ball~~ club head according to claim 5 wherein the metallic material is an amorphous metal of the formula:  $Zr_cM_dX_e$ , wherein Zr is Zirconium; M is an element selected from the group consisting of V, Cr, Mn, Fe, Co, Ni, Cu, Ti, Mo, W, Ca, Li, Mg, Si, Al, Pd and Be; X is an element selected from the group consisting of Y, La, Ce, Sm, Md, Hf, Nb and Ta; and c, d and e represent atomic percentages within the ranges of  $50 \leq c \leq 75$ ,  $25 \leq d \leq 50$ , and  $0 \leq e \leq 1$ , respectively.

20. (currently amended) [[A]] The golf club head according to claim 5, wherein a thickness of said metallic material is 1 to 3 mm.

21. (previously presented) A golf club head comprising a hitting face for golf balls, said hitting face formed at least partially by a metallic material, and said metallic material satisfying the following relationship:

$$y \geq 0.006x + 60$$

wherein x is Young's modulus in units of kgf/mm<sup>2</sup>, and y is tensile strength in units kgf/mm<sup>2</sup>, and

wherein said metallic material has a Young's modulus of 5,000 to 16,000 kgf/mm<sup>2</sup> and a tensile strength of 105 to 175 kgf/mm<sup>2</sup>.

22. (currently amended) [[A]] The golf club head according to claim 21, wherein a thickness of said metallic material is 1 to 3 mm.

23. (currently amended) [[A]] The golf club head according to claim 21, wherein said metallic material is an amorphous metal.

24. (currently amended) [[A]] The golf club head according to claim 21, wherein said metallic material is an amorphous alloy of a zirconium base.

25. (currently amended) [[A]] The golf club head according to claim 21, wherein said metallic material is an amorphous alloy comprising the elements Zr, Al, Cu, Ni, and Hf or an amorphous alloy comprising the elements Zr, Al, Cu and Ni.

26. (currently amended) [[A]] The golf club head according to claim 7, wherein said metallic material satisfies the following relation:

$y > 0.006x + 63$  wherein y is tensile strength in units of kgf/mm<sup>2</sup>.

27. (currently amended) [[A]] The golf club head according to claim 1, wherein the back of said hitting portion is not supported by a support member.

28. (currently amended) [[A]] The golf club head according to claim 5, wherein said metallic material has a young's modulus of 3,000 to 10,000 kgf/mm<sup>2</sup>.

29. (currently amended) [[A]] The golf club head according to claim 5, wherein the back of said hitting portion is not supported by a support member.

30. (currently amended) [[A]] The golf club head according to claim 21, wherein said metallic material satisfies the following relation:

$$y > 0.006x + 63.$$

31. (currently amended) [[A]] The golf club head according to claim 21, wherein said hitting face has at least partially a hitting portion which consists of said metallic material with a thickness of 1 to 3 mm.

32. (currently amended) [[A]] The golf club head according to claim 21, wherein said hitting face has at least partially a hitting portion which consists of said metallic material with a thickness of 1 to 3 mm and the back of said hitting portion is not supported by a support member.

33. (previously presented) The golf club head of claim 1 wherein the head is wood.



34. (previously presented) The golf club head of claim 5 wherein the head is wood.
35. (previously presented) The golf club head of claim 21 wherein the head is wood.
36. (previously presented) The golf club head of claim 1 wherein the head is iron.
37. (previously presented) The golf club head of claim 5 wherein the head is iron.
38. (previously presented) The golf club head of claim 21 wherein the head is iron.
39. (previously presented) The golf club head of claim 1 wherein the hitting portion has uniform thickness.
40. (previously presented) The golf club head of claim 5 wherein the hitting portion has uniform thickness.
41. (previously presented) The golf club head of claim 21 wherein the hitting portion has uniform thickness.

42. (previously presented) The golf club head of claim 1 wherein the head comprises a head body and a face plate made of said metallic material and the head body is provided with a face mounting part for attaching the face plate comprising a periphery of a hitting face, and the face mounting part is provided with a step down zone.

43. (previously presented) The golf club head of claim 5 wherein the head comprises a head body and a face plate made of said metallic material and the head body is provided with a face mounting part for attaching the face plate comprising a periphery of a hitting face, and the face mounting part is provided with a step down zone.

44. (previously presented) The golf club head of claim 21 wherein the head comprises a head body and a face plate made of said metallic material and the head body is provided with a face mounting part for attaching the face plate comprising a periphery of a hitting face, and the face mounting part is provided with a step down zone.

45. (previously presented) The golf club head of claim 1 wherein the head comprises a head body and a face plate made of said metallic material wherein the face plate is constructed with a thicker central part with a periphery part whose thickness reduces gradually outward.

46. (previously presented) The golf club head of claim 5 wherein the head comprises a head body and a face plate made of said metallic material wherein the face plate is constructed with a thicker central part with a periphery part whose thickness reduces gradually outward.

47. (canceled)

48. (previously presented) The golf club head of claim 1 wherein the head comprises a head body and a face plate made of said metallic material wherein the face plate is constructed with a thinner central part with a periphery part whose thickness increases gradually outward.

49. (previously presented) The golf club head of claim 5 wherein the head comprises a head body and a face plate made of said metallic material wherein the face plate is constructed with a thinner central part with a periphery part whose thickness increases gradually outward.

50. (previously presented) The golf club head of claim 21 wherein the head comprises a head body and a face plate made of said metallic material wherein the face plate is constructed with a thinner central part with a periphery part whose thickness increases gradually outward.